


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)
Results 1 - 10 of about 8,660 for duplicate negotiation network. (0.19 seconds)

All Results

[Managing negotiations between users of a computer network by automatically engaging in proposed ... - group of 3 »](#)
[M Winslett](#)

 HW Morris, RG Watkins - US Patent 6,496,851, 2002 - Google Patents
 ... (54) MANAGING NEGOTIATIONS BETWEEN USERS OF A COMPUTER NETWORK BY AUTOMATICALLY
 ENGAGING IN PROPOSED ACTIVITY USING PARAMETERS OF COUNTERPROPOSAL OF OTHER USER ...

[T Yu](#)
[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[J Kulik](#)
[D Newbery](#)
[V Cerf](#)
[Network Knowledge and Network Routines: Negotiating Activities between Shipowners and Shipbuilders - group of 3 »](#)

 G BOYCE - Business History, 2003 - Taylor & Francis
 ... forms & local conventions For **duplicate** vessels repeat ... 35 The letter confirms how
 intensely **network** members felt ... Let us now examine each **negotiating** phase in ...
[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Negotiating trust in the Web - group of 8 »](#)

 M Winslett, T Yu, KE Seamons, A Hess, J Jacobson, ... - Internet Computing, IEEE, 2002 - ieexplore.ieee.org
 ... s policy is satisfied by D) then $m = m \cup \{C\}$; else $m = m \cup \{C's\ policy\}$; $m = m -$
 D; // remove **duplicate** disclosures return m ... **Negotiation** strategy module ...
[Cited by 81](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Method for retransmitting a data packet in a packet network - group of 3 »](#)

 RS Pazhyannur, I Ali - US Patent 6,198,735, 2001 - Google Patents
 ... SYSTEM FOR **NETWORK** SERVICE **NEGOTIATION** IN ATELECOMMUNICATIONS ... packets are sent in
 the **network** ... message is preferably three **duplicate** acknowledgement messages. ...
[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[METHOD AND APPARATUS FOR AVOIDING DUPLICATE NEGOTIATIONS DURING COMMUNICATION ESTABLISHMENT](#)

 J JAYAPALAN, M QASIM, S RAMANNA - WO Patent WO/2003/071,765, 2003 - wipo.org
 ... Title: METHOD AND APPARATUS FOR AVOIDING **DUPLICATE** **NEGOTIATIONS** DURING COMMUNICATION
 ESTABLISHMENT. Abstract: A **network** element (204) acting as an intermediary ...
[Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[... of communications using point to point protocols such that duplicate negotiations are avoided](#)

 J Jayapalan, ME Qasim, S Ramanna - 2003 - freepatentsonline.com
 ... Additionally, in another embodiment of the present invention, the processing performed
 by the **network** element to avoid the **duplicate** **negotiation** loops includes ...
[Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[Preventing Duplicate Sources from Clients Served by a Network Address Port Translator - group of 4 »](#)

 PA Jakubik, LH Overby Jr, JA Porter, DJ Wierbowski - 2006 - freepatentsonline.com
 ... in **duplicate** connections that breach **network** integrity. For example, packets can
 be sent to the wrong destination. [0008] RFC 3947 entitled "**Negotiation** of NAT ...
[Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[Negotiation-Based Protocols for Disseminating Information in Wireless Sensor Networks - group of 22 »](#)

 J Kulik, W Heinzelman, H Balakrishnan - Wireless Networks, 2002 - Springer
 ... s data (2), which in turn suppresses the **duplicate** request from ... **NEGOTIATION-BASED**
PROTOCOLS FOR DISSEMINATING INFORMATION ... of the 25-node wireless test **network**. ...
[Cited by 160](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[SPIN-IT: the PRISM project network protocol for image retrieval](#)

 E Woodrow, L Chen, W Heinzelman, S Venkataraman, C ... - Networked Appliances, 2002. Gaithersburg. Proceedings. 2002 ..., 2002 - ieexplore.ieee.org
 ... SPIN-IT (Sensor Protocols for Information via **Negotiation** - Image Transfer ... messages
 throughout the **network**, using a broadcast-suppression ... to avoid **duplicate** ...
[Web Search](#) - [Import into BibTeX](#)
[Implementation of an intelligent personalized digital library system based on improved negotiation ... - group of 2 »](#)

 YI Cho - Artificial Life and Robotics, 2007 - Springer
 ... **negotiation** agent customizes the collection at each web server by eliminating
duplicate documents by comparing previously visited web servers via a **network**. ...
[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo g l e ►

 Result Page: **12345678910** [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)

Results 11 - 20 of about 8,660 for duplicate negotiation network. (0.14 seconds)

All Results[M Winslett](#)[T Yu](#)[J Kulik](#)[D Newbery](#)[V Cerf](#)**[Automatic IPsec Security Association Negotiation in Mobile-Oriented IPv6 Networks - group of 4 »](#)**

N Bonelli, S Giordano, S Lucetti, G Risi, A Tomasi - Proceedings of the 2005 Symposium on Applications and the ..., 2005 - doi.ieeecomputersociety.org

... it starts listening to configurable network interfaces for ... autoconfiguration (waiting for the Duplicate Address Detection ... The negotiation of the new IPsec SA ...

[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)**[Secure VPN Deployment in GPRS Mobile Network - group of 3 »](#)**

C Xenakis, E Gazis, L Merakos - European Wireless, 2002 - docenti.ing.unipi.it

... More specifically, the duplicate encapsulation of the ... the quick mode of IKE negotiation, in order to ... coverage area maintaining both, network connectivity, and ...

[Cited by 9](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)**[Automatic IPsec Security Association Negotiation in Mobile-Oriented IPv6 networks - group of 2 »](#)**

S Lucetti - dit.unith.it

... It starts listening to configurable network interfaces for ... autoconfiguration (waiting for the Duplicate Address Detection ... The negotiation of the new IPsec SA ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)**[Explicit congestion notification \(ECN\) in TCP over wireless network - group of 4 »](#)**

R Ramani, A Karandikar - Personal Wireless Communications, 2000 IEEE International ..., 2000 - ieeeexplore.ieee.org

... In TCP Tahoe, if three duplicate ACKS are received ... TCP this is confirmed in the pre-negotiation during the ... to indicate the congestion in the network and Bit ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)**[Dynamic network-based secure VPN deployment in GPRS - group of 4 »](#)**

C Xenakis, L Merakos - Personal, Indoor and Mobile Radio Communications, 2002. The ..., 2002 - ieeeexplore.ieee.org

... EKE) protocol proxy scheme is proposed, which enables the mobile user to initiate a VPN, while shifting complex key negotiation to the network infrastructure. ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)**[... Request for Comments: 2284 J. Vollbrecht Category: Standards Track Merit Network, Inc. March 1998 - group of 52 »](#)**

PPPEAP EAP - digilander.libero.it

... the selection of options for network layer negotiations. ... previous PPP authentication model of negotiating a specific ... If a peer receives a duplicate Request for ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)**[\[BOOK\] Privatization, Restructuring, and Regulation of Network Utilities - group of 11 »](#)**

DM Newbery - 2000 - books.google.com

... Either way, network utilities operate under terms set by the state. ... to cut costs or keep prices low or, if competitors enter, wastefully duplicate facilities ...

[Cited by 252](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#) - [BL Direct](#)**[\[PS\] Network Working Group S. Floyd Request for Comments: nnnn ACIRI Category: Standards Track J. Mahdavi ...](#)**

M Mathis, M Podolsky, UC Berkeley - icir.org

Network Working Group S. Floyd Request for Comments: nnnn ... a SACK block that reports a duplicate segment. ... D-SACK does not require separate negotiation between a ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)**[Methods and protocols for secure key negotiation using IKE - group of 4 »](#)**

MS Borella - Network, IEEE, 2000 - ieeeexplore.ieee.org

... in order for two network hosts to communicate securely, they must be able ... This requires that a secure key exchange and negotiation mechanism be in place. ...

[Cited by 23](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)**[A Protocol for Packet Network Intercommunication - group of 69 »](#)**

V Cerf, R Kahn - Communications, IEEE Transactions on (Legacy, pre-1988), 1974 - ieeeexplore.ieee.org

... uniformly and uniquely identify the address of every HOST in the composite network. ... is discussed in the section on retransmission and duplicate detection later ...

[Cited by 152](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

◀ Google ▶

Result Page: [Previous](#) [12](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)

 Results 1 - 10 of about 3,200 for duplicate handshake network. (0.14 seconds)

All Results
[T Placek](#)
[V Paxson](#)
[T Newsham](#)
[P Weissman](#)
[S O'Malley](#)

[\[ps\] Insertion, evasion, and denial of service: Eluding network intrusion detection - group of 53 »](#)

TH Placek, TN Newsham - Secure Networks, Inc., Jan, 1998 - icir.org

... Denial of Service: Eluding Network Intrusion Detection ... This indicates that network

ID systems cannot be fully trusted until they are fundamentally redesigned. ...

[Cited by 350](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Preventing network data injection attacks using duplicate-ACK and reassembly gap approaches - group of 3 »](#)

A Ramaiah, R Stewart, P Lei, P Mahan - 2005 - freepatentsonline.com

... buffer is empty and the duplicate ACK counter ... benefit of improved attack resistance

in network environments that ... received after completing a TCP handshake phase ...

[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[Computer Networks - group of 2 »](#)

TL Topics - cs.wpi.edu

... Imagine severely congested subnet - Network can delay, lose, duplicate packets -

Example ... numbers - three-way handshake - prevents establishment of ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Network Working Group M. Banan Request for Comments: 2188 Neda Category: Informational M. Taylor AWS - group of 41 »](#)

J Cheng, PS Version, I Note - rfcview.org

... ESR0 is designed specifically with wireless network (eg, CDPD ... both 2-way hand-shake

and 3-way hand-shake based protocols ... 26 4.3.2 3-Way Handshake Functional Unit ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[NETI@ home: A distributed approach to collecting end-to-end network performance measurements - group of 7 »](#)

CR Simpson Jr, GF Riley - Proc. PAM, 2004 - Springer

... as well as their underlying network-layer protocols ... Packets - Number of Triple Duplicate

Acknowledgment Packets ... if the TCP three-way handshake procedure fails ...

[Cited by 28](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Method for measuring network delay using gap time - group of 3 »](#)

G Riddle - US Patent 7,012,900, 2006 - Google Patents

... the final ACK packet of the three-way handshake ... For 55 example, the network device

may recognize that a ... stopped for a time, or that duplicate packets have ...

[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Communications network state and topology monitor - group of 3 »](#)

PA Robins, PD Alvik, CS Helgeson, MR Gannon, WA ... - US Patent 5,049,873, 1991 - Google Patents

... [45] Date of Patent: [54] COMMUNICATIONS NETWORK STATE AND TOPOLOGY MONITOR ... [73]

Assignee: Network Equipment Technologies, Inc., Redwood City, Calif. ...

[Cited by 125](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Analysis and Design of Secure and Reliable Transmission Protocol in Diameter - group of 3 »](#)

SK Yoo, HG Kim - LECTURE NOTES IN COMPUTER SCIENCE, 2003 - Springer

... Multiple facilities are required to detect duplicate messages. ... Let's assume that

full handshake takes place ... the TLS client starts a full hand-shake on the bi ...

[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Network Working Group V. Jacobson Request for Comments: 1185 LBL R. Braden ISI - group of 84 »](#)

L Zhang - rfcview.org

... delay (unrelated to MSL enforcement or network speed) must ... to provide the reliable

close handshake of TCP ... reliability problems due to old duplicate segments on ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Reliable connectionless network protocol - group of 4 »](#)

JC Oilkin - US Patent 6,310,892, 2001 - Google Patents

... In the present invention, the three-way hand-shake protocol is ... to access the data

until the handshake completes ... to prevent the receipt of duplicate segments as ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Google

Result Page: **12345678910** [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

store header info proxy wireless

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles Recent articles

Results 1 - 10 of about 6,150 for store header info proxy wireless. (0.20 seconds)

All Results

[M Kojo](#)[T Alanko](#)[K Raatikainen](#)[R Barrett](#)[M Liljeberg](#)[\[PS\] Connecting Mobile Workstations to the Internet over a Digital Cellular Telephone Network - group of 7 »](#)

M Kojo, K Raatikainen, T Alanko - Proceedings of the Mobidata Workshop, 1994 - cs.helsinki.fi

... However, reducing the **header** information of UDP datagrams is not supported. ... partswith a **store-and-forward**-type interceptor. ... Fixed Net Proxy MSIP ...[Cited by 63](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)[Split-proxy concept for application layer handover in mobile communication systems - group of 2 »](#)

J Kammann, T Blachnitzky - Mobile and Wireless Communications Network, 2002. 4th 2002 - ieeexplore.ieee.org

... Client HTTP_ACJ(- Client -> Server **STORE** - Access Point ... the same, often very lengthy**header** information over the ... The access point **proxy** can easily rewrite a ...[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Optimizing World-Wide Web for Weakly-Connected Mobile Workstations: An Indirect Approach - group of 9 »](#)

M Liljeberg, T Alanko, M Kojo, H Laamanen, K ... - Proceedings of 2nd International Workshop on Services in ... - doi.ieeecs.org

... method is **HEAD**, which returns just the **header** part of ... Typically they pass eitherinformation **POST**, **PUT**) or requests 6 ... two parts by using a **store-and-forward** ...[Cited by 67](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Intermediaries: New Places for Producing and Manipulating Web Content - group of 5 »](#)

R Barrett, PP Maglio - WWW7 / Computer Networks, 1998 - scu.edu.au

... to a server and retrieves a document from its **store**. ... Webby"; [1]). WBI is a programmable**proxy** server that ... to a new URL, modify **header** information, insert form ...[Cited by 91](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)[Method and apparatus for caching credentials in proxy servers for wireless user agents - group of 3 »](#)

H Liao, PF King, RS Greer - US Patent 6,606,663, 2003 - Google Patents

... access. reserve memory to **store** the credentials. The present inven- ... in requiredcredential information in an HTTP **header** "Autho- the ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Push Proxy Gateway Service Specification - group of 17 »](#)

WA Protocol - WAP Forum, version - wapforum.org

... the original, is easier to process or **store**, and/or is ... CPI Capability and PreferenceInformation ... Entity and **Header** Transformation A PPG MUST NOT transform the ...[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Wireless Profiled HTTP" - group of 6 »](#)

WA Protocol - wmlclub.com

... the original, is easier to process or **store** and/or ... An entity-**header** contains

meta-information about a ... including the ability to request and receive information. ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[Security Analysis of Wireless Java - group of 2 »](#)

M Debbabi, M Saleh, C Talhi, S Zhioa - Proceedings of the 3rd Annual Conference on Privacy, ..., 2005 - lib.unb.ca

... The **header** contains information about the record **store** while the body consists of

a number of byte arrays called records, these contain the actual ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[Proxy apparatus and method for streaming media information and for increasing the quality of stored ... - group of 3 »](#)

RE Markowitz, JT O'Neil, KH Rosen, PH Stuntebeck - US Patent 6,651,103, 2003 - Google Patents

... user device interface 802 and also **stores** a copy ... example, aHyper Text Transfer Protocol(HTTP) **header**, an HTML ... first version of the media information that is ...[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Dynamic service composition for wireless Web access - group of 5 »](#)

SN Chuang, ATS Chan, J Cao - ... Processing, 2002. Proceedings. International Conference on, 2002 - ieeexplore.ieee.org

... cooperates with the service directory to activate, to **store** ... together in nested orderon the **proxy** server ... encapsulates the data and adds **header** information in a ...[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page:

12345678910 [Next](#)

store header info proxy wireless Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Scholar BETA

store header info proxy

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)Results 1 - 10 of about 14,000 for store header info proxy. (0.15 seconds)

All Results

[Proxy server caching mechanism that provides a file directory structure and a mapping mechanism ... - group of 2 »](#)

A Luotonen - US Patent 5,864,852, 1999 - Google Patents

... One use of the **proxy** server is to make such **header** information more easily ... the inventionpro -vides the GIF file, for example to **store** such information as ...[Cited by 36](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[D Kristol](#)[M Kojo](#)[T Alanko](#)[K Raatikainen](#)[G Patel](#)[User name authentication for gateway clients accessing a proxy cache server - group of 2 »](#)

ML Shapiro, A Subramaniam, M Muthumavadi - US Patent 5,991,810, 1999 - Google Patents

... and receiving data packets having **header** addresses provided in ... 36 and storage device46 **store** and distribute ... New information is contemporaneously cached in the ...[Cited by 59](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[An extension to HTTP: digest access authentication - group of 2 »](#)

J Franks, P Hallam-Baker, J Hosteller, P Leach, A ... - 1997 - cs.wisc.edu

... request, and can alter any response **header** in the ... she is connecting to a host containinginformation protected by ... server can request a password, **store** it away ...[Cited by 52](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)[Method, system and apparatus for client-side usage tracking of information server systems - group of 5 »](#)

JE Allard, DR Treadwell III, JF Ludeman - US Patent 6,018,619, 2000 - Google Patents

... The **proxy** server **stores** a copy of the object ... the optional **header** parameter in theinitial **header** object as ... tracking and handshaking with the information server ...[Cited by 68](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[The Gecko NFS Web Proxy - group of 7 »](#)

S Baker, JH Hartman - WWW8 / Computer Networks, 1999 - www8.org

... Clients share pages cached on the Gecko **proxy** server, and access them using ... a uniquehandle for each one of them and **store** the URL and **header** information. ...[Cited by 10](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)[Exploiting the Fair Share to Smoothly Transport Layered Encoded Video into Proxy Caches - group of 13 »](#)

M Zink, C Griwodz, J Schmitt, R Steinmetz - Proceedings of SPIE/ACM Conference on Multimedia Computing ... - ifi.uio.no

... Share to Smoothly Transport Layered Encoded Video into **Proxy** Caches Michael ... **stores**the file as raw data and another **stores** some **header** information with it ...[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[Protocol considerations for a prefix-caching proxy for multimedia streams - group of 12 »](#)

S Gruber, J Rexford, A Basso - Computer Networks, 2000 - Elsevier

... Also, since the **proxy** overwrites certain RTP **header** fields, the cache **stores** additional

information to allow computation of the sequence number and timestamp ...

[Cited by 36](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Efficient Algorithms for Persistent Storage Allocation - group of 12 »](#)

A Iyengar, S Jin, J Challenger - Proceedings of the 18th of IEEE Symposium on Mass Storage ... - doi.ieeecomputersociety.org

... Mogul [11] sug- gests that disk I/O overhead of **proxy** disk caching ... accesses neededto reconstruct in-memory data structures is to **store header** information in a ...[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[BLT: Bi-Layer Tracing of HTTP and TCP/IP - group of 16 »](#)

A Feldmann - Computer Networks, 2000 - Elsevier

... of data from packet traces over **proxy** traces is ... The remaining fields **store** the flowstate once a ... headers information, full IP=TCP **header** information, and TCP ...[Cited by 60](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Supporting disconnectedness-transparent information delivery for mobile and invisible computing - group of 14 »](#)

P Sutton, R Arkins, B Segall - First International Symposium on Cluster Computing and the ... - doi.ieeecomputersociety.org

... of the devel- opment of a **proxy**-server to ... forms and names, including publish-subscribe,**store-and-forward** ... on the basis of message **header** information (or meta ...[Cited by 88](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

store header info proxy

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google